

WASHINGTON COUNTY SMALL WOODLANDS ASSOCIATION

2018 list

Sun/Shade Tolerance:



Moisture Tolerance:



Wildlife Attractant:



Plants sold as one per container

	Sun/Shade	Moisture	Wildlife		Size	Price	Notes
<b>TREES - EVERGREEN</b>							
Cedar, Incense <i>Calocedrus decurrens</i>				Ht: To 125' X Sp: To 30'. Narrow, columnar conifer with pungent fragrance in warm weather. Attractive, flaky bark. Grows slowly at first, then quickly. Tolerates poor soils; water regularly during first few years, thereafter fairly drought tolerant. Drainage must be good. Uses: screening, holiday greens.	1 GAL	\$7.00	
Madrone, Pacific <i>Arbutus menziesii</i>			 Forage	Ht: To 80' X Sp: To 70'. Upright broadleaf evergreen becoming more broadly round with age. Smooth reddish bark, white flowers, red berries. Fast growth, then slows. Must have fast drainage; don't overwater. Uses: specimen or in group. NOTE: While very attractive, this tree litters year 'round.	1 GAL	\$9.00	
Pine, Valley Ponderosa <i>Pinus ponderosa</i>				Ht: To 180' X Sp: To 40'. Native to the Willamette Valley (aka yellow pine). Straight growth and scaled, colored bark with vanilla fragrance. Large cones, useful in holiday wreaths, swags.	bare root	\$1.00	

**TREES - DECIDUOUS**

Ash, Oregon <i>Fraxinus latifolia</i>				Ht: To 75' X Sp: 60'. Will grow in standing water during winter but needs no dry-season water. Olive-green leaves turn yellow in fall. Uses: lumber tree used for furniture, baseball bats and axe handles.	1 GAL 2 GAL	\$6 \$12	
Aspen, Quaking <i>Populus tremuloides</i>				Ht: To 60' X Sp: 20'. Upright, with attractive bark and leaves. Brilliant yellow fall color. Fast growth rate. Needs moist soil. Uses: best in groves, as backdrop for native shrubs and wildflowers.	1 GAL	\$7.00	
Birch, Paper <i>Betula papyrifera</i>				Ht: To 70'. Trunk is creamy white, bark peels in papery layers. Leaves to 4" long. Small cone-like fruits stay thorough winter. Shade intolerant, needs regular water on well-drained soil.	1 GAL	\$7.00	
Cascara <i>Rhamnus Purshiana</i>				Ht: 30' X Sp 15' Deciduous tree or large shrub, inconspicuous flowers bloom late spring, dark purple berries ripen late summer. Fast grower, sensitive to air pollution; drought tolerant once established.	1 GAL	\$7.00	
Cherry, Bitter <i>Prunus emarginata</i>				Ht: To 50' X Sp: 30', Deciduous tree, fragrant, white flowers bloom April to May, fruit bitter. Grows best in full sun, with moist soil. Bark is attractive, used in basket-making.	1 GAL 2 GAL	\$7 \$14	
Crabapple, Pacific <i>Pyrus fusca (Malus fusca)</i>			 Forage	Ht: To 40' X Sp: 15-20'. Upright, with fragrant, pink/white flowers followed by yellow/reddish edible fruits. Good fall color. Moderate growth rate. Needs moist soil. Uses: wildlife tree, ornamental, specimen, riparian, pectin.	1 GAL	\$7.00	
Dogwood, Pacific <i>Cornus nuttallii</i>				Ht: To 50' X Sp: To 20'. Upright, with showy white bracts in spring, good fall color in foliage and berries, and fine winter form. Moderate growth rate. Any soil with good drainage. Uses: ornamental, wildlife, specimen.	1 GAL	\$8.00	
Maple, Rocky Mtn. <i>Acer glabrum var. douglasii</i>				Ht: To 30' X Sp: 15'. Multi-stemmed tree or large shrub. Attractive foliage with orange to red fall color. Moderate growth rate. Well-drained soil with ample moisture. Uses: ornamental, forest understory. NOTE: Syn. Douglas Maple.	2 GAL	\$12.00	
Maple, Vine <i>Acer circinatum</i>			 Forage	Ht: To 35' X Spreading/vine-like. Multi-stemmed upright tree (sun) or broad, spreading shrub (shade). Showy spring color with reddish tinges. Excellent fall colors. Well-drained, moist soils. Uses: understory, espalier, ornamental.	1 GAL 2 GAL	\$7 \$12	
Mountain Ash, Sitka <i>Sorbus sitchensis</i>				Ht: To 25' sometimes with several stems. Winter buds and young growth with rusty hairs. Bluish-green leaflets, rounded at tips. White, small flower clusters. Red berries much favored by birds such as waxwings and grosbeaks.	1 GAL 2 GAL	\$7 \$14	
Oak, Oregon White <i>Quercus garryana</i>				Ht: To 60' X Sp: To 60'. Upright and rounded, with catkins followed by acorns, bronzy fall color in foliage. Moderate growth rate. Any soil. Uses: restoration, wildlife, specimen, firewood.	bare root	\$ 1.00	

**SHRUBS**

Azalea, Western <i>Rhododendron occidentale</i>				Ht: To 10' X Sp: 5'. Upright, multi-stemmed, deciduous. Pinkish white, fragrant flowers May/June. Moderate growth rate. Requires moist, acidic soils. Uses: en masse with evergreens, forest understory, stream banks.	5"rnd	\$5	
Boxwood, Oregon <i>Pachistima myrsinites</i>				Ht: To 3'. Leaves opposite and oval with toothed margins. Small, fragrant, red flowers clustered along branch. Well-drained soil. Fruits small, oval. Uses: floral greens.	Tall pot	\$6	
Chokecherry <i>Prunus virginiana</i>				Ht: To 20' X Sp: 25'. Decorative tree, attractive foliage sometimes a deep maroon with yellow to red fall color. Flowers borne in dense cylindrical clusters followed by shiny blackish cherries enjoyed by birds. Well-drained soil with ample moisture. Uses: ornamental, forest understory.	1 GAL	\$7.00	
Currant, Alpine <i>Ribes alpinum</i>				Ht: To 6' X Sp. 6'. A compact, mound-forming shrub with green leaves that turn dull yellow in the fall. Flowers are greenish-yellow and inconspicuous, blooming in April on 1-2" racemes ripening to showy red inedible berries. Uses: hedge.	1 GAL	\$7.00	
Currant, Red Flowering <i>Ribes sanguineum</i>			 Forage	Ht: To 10' X Sp: 8'. Deciduous, multi-stemmed, bushy. Bright red flowers in early spring followed by blue-black berries in the fall. Very attractive to hummingbirds. A lovely native plant that needs little care once established.	1 GAL bare root	\$7 \$3 4/\$10	
Currant, Wax <i>Ribes cereum</i>				Ht: 2-6'. Flowers which hang in clusters from tips of branches are white with greenish to pale pink tint. Berries are large, red-orange. Often have hairy leaves. Grows at dry edges of forests, often among rocks.	5"rnd	\$5.00	
Dogwood, Red-Osier <i>Cornus sericea</i>				Ht: To 25' X Sp: To 30' (spreads by stolons). Multi-stemmed, upright, dense, deciduous. Flowers, berries, bright red stems pronounced in winter. Fast growth rate. Any soil, prefers moist. Uses: riparian, screen, en masse.	1 GAL	\$6.00	
Dogwood, Yellow Twig <i>Cornus sericea</i>				Variety of the redbud with bright yellow stems in winter.	1 GAL	\$6.00	

WASHINGTON COUNTY SMALL WOODLANDS ASSOCIATION

2018 list

Sun/Shade Tolerance:



Moisture Tolerance:



Wildlife Attractant:



Plants sold as one per container

	Sun/Shade	Moisture	Wildlife		Size	Price	Notes
<b>Elderberry, Red</b> <i>Sambucus racemosa</i>				Ht: To 10' X Sp: 10'. Deciduous, multi-stemmed, bushy. Creamy white flowers in spring followed by bright red berries. Fast growth rate. Any soil, prefers moist. Uses: windbreak, screen. NOTE: Berries can cause gastric distress in humans if eaten in quantity. Stems, bark, leaves and roots TOXIC to humans.	1 GAL 2 GAL	\$7 \$11	
<b>Gooseberry, Coastal</b> <i>Ribes divaricatum</i>				Ht: 3-9'. Shrub with arching stems with few to many stout spines at nodes. Flowers with petals of white, pink or red, stamens extending beyond petals. Berries shiny black.	1 GAL	\$7.00	
<b>Honeysuckle, Hairy</b> <i>Lonicera hispidula</i>			 Forage	Ht: To 10'. Climbing deciduous vine. Yellow flowers on many-branched, sometimes hairy vines. Small bunches of bright red berries. Moderate to fast growth rate. Any soil, best in moist. Uses: Best on trees or large shrubs.	1 GAL	\$7.00	
<b>Huckleberry, Evergreen</b> <i>Vaccinium ovatum</i>			 Forage	Ht: To 15' (shade) X Sp: To 12' (shade); 5'X3' in sun. Upright, broadleaf evergreen with glossy foliage and edible berries. Slow - moderate growth. Moist, acidic soils. Uses: floral arrangements, screening, woodland, pies/jams.	1 GAL	\$8.00	
<b>Huckleberry, Red</b> <i>Vaccinium parvifolium</i>			 Forage	Ht: To 12' X Sp: 6'. Slow-growing, thin green branches provide an intricate winter silhouette. Oval, light green leaves with greenish or whitish flowers. Showy bright red berries are delicious in jams, jellies, pies, other baked goods.	4"rnd	\$5.00	
<b>Kinnikinnick</b> <i>Arctostaphylos uva-ursi</i>				Ht: To 3' X Spreads widely. Mat-like broadleaf evergreen ground cover. White flowers/red berries upon establishment. Slow to moderate growth rate. Needs good drainage, prefers sandy soil. Uses: ground cover, erosion control.	3.5" pot	\$3.00	
<b>Ninebark, Pacific</b> <i>Physocarpus capitatus</i>				Ht: To 12' X Sp: To 6'. So named because of their peeling bark. Plants resemble spiraea and are closely related, bearing round clusters of tiny white or pinkish flowers in summer. Clustered buds are as attractive as the opened blossoms.	1 GAL	\$10.00	
<b>Oceanspray</b> <i>Holodiscus discolor</i>				Ht: To 20' X Sp: To 8'. Deciduous, multi-stemmed, with arching branches. Large clusters of frothy white flowers in spring. Moderate growth rate. Any soil, best in moist. Uses: woodland, background plant.	1 GAL	\$7.00	
<b>Orange, Mock</b> <i>Philadelphus lewisii</i>				Ht: To 12' X Sp: To 6'. Upright, deciduous, multi-stemmed. Very fragrant white flowers in spring. Fast growth rate. Best in moist soils, though can be drought tolerant once established. Uses: hedging, screen, shrub border.	1 GAL	\$6.00	
<b>Oregon Grape, Cascade (Long leaf)</b> <i>Mahonia nervosa</i>				Ht: To 2' X Sp: 3'. Spreads by stolons. Evergreen ground cover. Shiny green leaves, reminiscent of holly. Yellow flowers in spring followed by blue berries. Moderate growth rate. Any soil. Uses: dry, sunny banks.	3.5"	\$5.00	
<b>Oregon Grape, Creeping</b> <i>Mahonia repens</i>				Ht: To 1' X Sp: 3'. Spreads by stolons. Evergreen ground cover. Dull, bluish green leaves, bronze/maroon in winter. Yellow flowers in spring followed by blue berries. Moderate growth rate. Any soil. Uses: dry, sunny banks.	1 GAL	\$7.00	
<b>Oregon Grape, Tall</b> <i>Mahonia aquifolium</i>				Ht: To 6' X Sp: 5'. Spreads by stolons. Erect evergreen with glossy green leaves, maroon in winter. Yellow flowers in spring followed by edible blue berries. Moderate growth rate. Any soil. Uses: en masse, woodlands, container, jelly.	1 GAL	\$7.00	
<b>Raspberry, Blackcap</b> <i>Rubus leucodermis</i>				Ht: to 7' Canes have white-bluish powder and prickles. Blooms May-June, edible fruit ripens Jul.-Aug. Prefers full-dappled sun and moist soil. Intolerant of wind and drought.	1 GAL	\$7.00	
<b>Rose, Nootka</b> <i>Rosa nutkana</i>				Ht: To 10' and can spread in thickets. Multi-stemmed with prickly thorns. Attractive, fragrant purple-pink flowers, 2-3" wide. Showy hips in fall. Uses: forest understory, en masse, screen, fencerow, riparian areas, restoration.	1 GAL	\$6.00	
<b>Rose, Woods</b> <i>Rosa woodsii</i>				Ht: 6'. Prickly to almost thornless. Scented, pink flowers bloom in clusters from late spring to mid summer, followed by red hips. Grows near streams, in open woods. Prefers full sun to part shade and moist soil. Tolerates hot, dry summers and cold winters. Uses: erosion control, attract wildlife	1 GAL	\$6.00	
<b>Salal</b> <i>Gaultheria shallon</i>			 Forage	Ht: To 10' X Spreads by stolons and layering. Broadleaf evergreen forming dense thickets in ideal conditions. Spring blooms followed by purple edible fruits. Slow to establish, then aggressive. Well-drained, moist soils. Prefers filtered shade. Uses: en masse, shrub border, preserves, floral arrangements.	1 GAL	\$7.00	
<b>Serviceberry, Saskatoon</b> <i>Amelanchier alnifolia</i>				Ht: To 10' X broadly spreading. Deciduous, multi-stemmed, arching branches. White flowers in spring, edible summer fruits, good fall color. Moderate growth rate. Well-drained, moist soils. Uses: pies and jams, shrub border, sunny banks.	1 GAL	\$8.00	
<b>Silk Tassel, Fremont</b> <i>Garrya fremontii</i>				Ht: 10' Sp" 10' Evergreen, dioecious shrub. Catkins grow to 3" long, tiny flowers bloom mid-winter to mid-spring. Round, berry-like purple fruits. Grows in thickets and open woods. Grow in full sun-part shade in well-drained moist to dry soil. Drought tolerant. Uses:screen, hedgerow, wildlife garden, provides food and cover for birds.	1 GAL	\$8.00	
<b>Silk Tassel, Wavy</b> <i>Garrya elliptica</i>				Ht: To 20' X Sp: To 20'. In late winter, male catkins elongate and open. Then 6-12" floral chains erupt in cascades of cream-yellow stamens on a silvery grey background. Grey-green leaves. Can be trained as a small tree. Uses: foliage plant, screen, formal hedge.	1 GAL	\$8.00	
<b>Snowberry, Common</b> <i>Symphoricarpos albus</i>				2-6' Adaptable deciduous shrub having attractive foliage and cluster of waxy white berries that persist through winter.	1 GAL	\$6.00	
<b>Spirea, Birchleaf</b> <i>Spirea betuifolia</i>				Ht: To 2'. Erect shrub, branching, more or less hairless. Spreads by stolons underground. Flowers dull white, sometimes tinted lavender or pink, in flat-topped cluster 2-5" across. Grows in streambanks, edges of lakes, meadows, rocky areas. Tough, easy to grow.	1 GAL	\$7.00	
<b>Spirea, Subalpine</b> <i>Spirea densiflora</i>				Ht: To 3' X Sp: 3'. Small upright shrub. Dark green deciduous leaves are wooly white beneath, turn yellow in fall. Rosy pink flowers in dense flat-topped clusters to 2" wide in summer. Grows in moist rocky areas, conifer forests, shady beds. Tough, easy to grow.	1 GAL	\$7.00	

WASHINGTON COUNTY SMALL WOODLANDS ASSOCIATION

2018 list

Sun/Shade Tolerance:

Full sun  Part Sun/Shade  Full Shade 

Moisture Tolerance:

Dry  Moist  Wet 

Wildlife Attractant:

Mammals  Insects  Birds, in general 

Plants sold as one per container

	Sun/Shade	Moisture	Wildlife		Size	Price	Notes
<b>Spirea, Western (Douglas)</b> <i>Spirea douglasii</i>				Ht: to 6'. Erect shrub. Excellent for restoring wetlands and controlling erosion on ditch banks or wet areas. Sprads by rhizomes. Can be grown in shrub beds or as part of a hedgerow. Many pink flowers make it a good nectar plant for butterflies and bees.	1 GAL	\$6.00	
<b>Thimbleberry</b> <i>Rubus parviflorus</i>				Ht: 4'-6' Dense shrub with slender canes grows in forest understory. Large white flowers are followed by red edible fruits. Large, maple-like leaf. Natives used for food and medicinal purposes. Attractive to bees, birds and sphinx moth. Like moist soils, but will tolerate moist slopes. Tolerates full shade but will grow lusher with sun.	1 GAL	\$6.00	
<b>Twinberry</b> <i>Lonicera involucrata</i>				Ht: To 9' X Sp: 5'. Spreading to erect woody ornamental shrub, young stems are square. Pale yellow trumpet-shaped flowers in pairs set off by dark green leaves. Purplish black fruits. Drought tolerant when established.	1 GAL	\$6.00	
<b>Viburnum, Oregon</b> <i>Viburnum ellipticum</i>				Ht: 6-10' X sp: 4-8: Perennial shrub white flowers May-June, red, edible fruits, red fall leaves. Prefers dry, sunny, well-drained areas.	1 GAL	\$8.00	
<b>Western Wahoo</b> <i>Euonymus occidentali</i>				Ht: 6'-15' Small shrub with purplish red flowers, seeds reddish orange. Good substitute for Burning bush. Does well in riparian areas with plenty of shade. Food source for birds and wildlife. Toxic to dogs, cats and horses.	1GAL	\$8.00	
<b>Willow, Hooker's</b> <i>Salix hookeriana</i>				Ht: to 20' tall, Wdt: 10'. Catkins grow to 4". Rounded leaves. Blooms March-April. Found in wetlands. Prefers moist/well-drained soil and full sun to part shade. Grows in all soil types. Useful for living fences, soil stabilization, screens. Keep away from drain fields.	1 GAL	\$6.00	
<b>Willow, Sitka</b> <i>Salix sitchensis</i>				Ht: to 24' Brown bracts provide contrast to silvery catkins. Blooms April-June. Occasionally found in non-wetlands. Plant away from drain fields, perforated pipe, septic systems and water and sewer lines.	1 GAL	\$6.00	

WASHINGTON COUNTY SMALL WOODLANDS ASSOCIATION

2018 list

Sun/Shade Tolerance:



Moisture Tolerance:



Wildlife Attractant:



Plants sold as one per container

	Sun/Shade	Moisture	Wildlife	Description	Size	Price	Notes
HERBS	Sun/Shade	Moisture	Wildlife	Description	Size	Price	Notes
new Angelica, Seacoast <i>Angelica lucida</i>				Found along coast or coastal prairies, 2'-4'. Tall, white, globe-shaped flower umbels make a striking border plant. Blooms June-Aug., wetlands or non-wetland riparian. Nectar attracts bees. Natives considered it an important food and medicinal source.	tall pot	\$4	
Aster, Douglas <i>Aster subspicatus</i>				Ht: 2-3' X Sp: 2-3'. Multistemmed perennial with pale lavender-blue daisylike flowers from midsummer to midfall. Somewhat drought tolerant, but does best with summer water. Uses: Moist meadow or wildflower gardens, back of perennial border, host for endangered butterflies.	3.5" pot	\$3	
Blanket Flower <i>Gaillardia aristata</i>				Ht: 3'. Herbaceous perennial forming larger clumps each year. Red/yellow flowers from spring to frost. Prefers hot, dry, sandy situations. Uses: dry garden, wildflower garden.	Band Pot	\$4.00	
Boykinia, Mountain <i>Boykinia major</i>				Ht: 12-36". Herbaceous perennial. Clusters of white flowers bloom over long period in summer. Attractive lobed foliage. Uses: moist, shady borders, wildflower garden.	Band Pot 1 GAL	\$4 \$7	
Brodiaea, White <i>Triteleia hyacinthine</i>				White flowering plant, growing from a corm. Flower cluster rises 24" above leaves. Prefers gravelly soils, meadows and grasslands. Prefers moist soils but can occur in wetlands that dry by late summer. Full sun.	Band pot	\$4.00	
Buckwheat, Arrowleaf <i>Eriogonum compositum</i>				Ht: To 24" X Sp: 15". Perennial evergreen subshrub with frothy pale yellow flowers. Well-drained soils. Uses: dry borders, rock gardens.	Band pot	\$5.00	
Bunchberry <i>Cornus canadensis</i>				Ht: 6-9" X spreads by stolons. Deciduous ground cover. Pure white bracts in spring followed by red berries in late summer. Hard to establish, best in full shade. Any rich, acidic, moisture-retentive soil. Uses: companion plant for ferns, lilies, and trilliums; bank stabilization.	4" BAND POT	\$5.00	
Camas, Common <i>Camassia quamash</i>				Ht: To 2'. Bulb with pale to deep blue/violet flowers on terminal spikes, grass-like leaves. Member of the lily family. Blooms April to June. Noted in journals of Lewis and Clark in 1806. Likes heavy soil.	Tall Band Pot	\$4.00	
Camas, Great Purple <i>Camassia leichtlinii var suksdorfii</i>				Ht: 2-3' X Sp: 6". Bulb. Dark blue-violet star-like flowers on long stems; strappy leaves. Late spring/early summer bloom. Goes dormant in summer. Moderate growth rate. Needs moist, rich humusy soil. Uses: sunny perennial border.	Tall Band Pot	\$4.00	
Checkermallow, Henderson's <i>Sidalcea hendersonii</i>				Ht: 3-5' X Sp: 1-2'. Tall, easy-to-grow perennial. Deep pink hollyhock-like flowers bloom late spring. Uses: Moist/wet wildflower garden, host for butterflies. Endangered in Oregon.	3.5" Pot	\$3.00	
Columbine, Red <i>Aquilegia formosa</i>				Ht: To 3'. Herbaceous perennial. Red and yellow flowers held erect over foliage in spring/early summer. Moderate growth rate. Prefers sunny, moist conditions. Uses: perennial borders, native woodlands, rock gardens.	Tall POT 1GAL	\$4 \$7	
Coneflower, Western <i>Rudbeckia occidentalis</i>				Ht: 2-5'. Leafless stalks hold one or more dark purple-brown disk cones about 1" high, no ray flowers. Cones become twice as tall and black when in seed. Oval leaves, 4-12" long. Grows in full-part sun in moist forest openings. Good for English style gardens.	BAND POT 1Gal	\$4 \$6	
Fairy Bells, Hooker's <i>Prosartes hookeri</i>				Ht: To 3' X spreads by rhizomes. Herbaceous perennial. Pendant whitish flowers in spring followed by orange/red berries. Moderate growth rate. Prefers moist, shady situations. Uses: forest understory, shady border.	4" Pot	\$5.00	
Fringecup <i>Tellima grandiflora</i>				Ht: To 1'. This herbaceous perennial blooms in late spring and displays greenish-white to pink urn-shaped flowers on 1' spikes. Leaves are light green, softly hairy, to 4" across. Choice plant to combine with ferns in a woodland setting.	1 GAL	\$8.00	
Geranium, Western <i>Geranium oregonum</i>				Rapidly growing perennial found in moist meadows and shaded forests. Pink-purple flower bloom in May-July. Grows in part sun or shade and moist to dry well-drained soil.	3.5" pot	\$4.00	
Ginger, Wild <i>Asarum caudatum</i>				Ht: To 10". Herbaceous perennial. Glossy, heart-shaped leaves with chocolate/maroon flowers under leaves. Slow to moderate growth rate. Prefers shade with regular moisture. Uses: ground cover. NOTE: Bait for slugs.	1 GAL	\$6.00	
Grass, Blue-eyed <i>Sisyrinchium idahoense</i>				Ht: To 16". Long, very narrow, mostly basal leaves. Flowers blue to bluish-purple, often with yellow "eye" in terminal clusters of 1-5 flowers.	3.5" POT	\$3.00	
Grass, Golden-eyed <i>Sisyrinchium californicum</i>				Ht: To 15". Yellow flowers open in May to June. Related to iris. Prefers wet, low, poorly drained soil.	3.5" POT	\$3.00	
Iris, Douglas <i>douglasiana</i>				Ht: to 30". Spread by rhizomes. Early spring flowers of pale, creamy yellow to dark blue/purple. Prefers sunny, moist to dryish situations. Uses: rock gardens, flower borders, wildflower garden, bank stabilization.	band pot	\$4	
Iris, Oregon <i>tenax</i>				Ht: To 18" X spread by rhizomes. Low-growing, tufted perennial. Spring flowers of lavender to purple on erect stems over grass-like leaves. Uses: rock gardens, flower borders, wildflower garden, bank stabilization.	Tall Band Pot	\$3.00	
Larkspur, Common <i>Delphinium trollifolium</i>				Ht: To 2' X Sp: To 2'. Herbaceous perennial. Light to dark blue flowers in early summer. Need rich, porous soil in moist situation. Uses: flower border, cut flower. NOTE: All parts of delphinium spp. are TOXIC if ingested. Poisonous to horses and cattle.	Tall Band Pot	\$4.00	
Larkspur, Peacock <i>Delphinium pavonaceum</i>				Ht: 2' X Sp: 2' Herbaceous perennial. White to light green flowers in early summer. Need rich, porous soil in moist situation. Uses: flower border, cut flower. NOTE: All parts of delphinium spp. are TOXIC if ingested.	Tall Band Pot	\$4.00	

WASHINGTON COUNTY SMALL WOODLANDS ASSOCIATION

2018 list

Sun/Shade Tolerance:

Full sun  Part Sun/Shade  Full Shade 

Moisture Tolerance:

Dry  Moist  Wet 

Wildlife Attractant:

Mammals  Insects  Birds, in general 

Plants sold as one per container

	Sun/Shade	Moisture	Wildlife		Size	Price	Notes
Lily, Chocolate <i>Fritillaria lanceolata</i>				Ht: To 32". Lance-shaped leaves in 1-2 whorls of 3-5 leaves. Hanging bowl-shaped flowers yellow at base, checkered with brown, red or purple. Uses: woodland or shaded wildflower garden with ferns.	4" Band pot	\$4.00	
Lily, Crown <i>Brodiaea coronaria</i>				Late flowering, purple lily. Flowers arise from few leaves, up to 12" tall. Drought tolerant. Thrives naturally in grassy meadows and rocky soils. Good for dry gardening.	Band Pot	\$4.00	
Lily, Harvest <i>Brodiaea congesta</i>				Deep purple lily blooming May-June. Grows on rocky outcrops, forest edges and meadows. Flower clusters rise to 36" above slender leaves. Prefers dry gravelly soils in partial to deep shade.	3.5" Pot	\$4.00	
Lily, Mariposa <i>Calochortus tolmiei</i>				Ht: 1'. Bulbous perennial grown on dry, rocky slopes west of the Cascades. Flowers vary from white to purplish with hairs on inner surfaces of petals. Grow in full sun or part shade in well-drained, rocky or sandy soil. Uses: rock garden, among shrubs in dry part of wildlife garden. Bulbs are edible.	Band Pot	\$4.00	
Lily, Oregon Fawn <i>Erythronium oregonum</i>				Ht: To 16". Herbaceous perennial from corm. Creamy to white flowers in the spring. Mottled basal leaves. Prefers moist, shady situations. Uses: woodland garden. (Also called White fawn)	Tall Band Pot	\$4.00	
Lily, Tiger <i>Lilium columbianum</i>				Ht: To 4'. Herbaceous perennial from corm. Orange flowers spotted with maroon are held on erect leafy stems in late spring/early summer. Prefers moist, sunny situations but can tolerate some drought. Uses: wildflower garden, flower border, rock garden, woodland. NOTE: Protected species.	1 GAL	\$9.00	
Lily-of-the-Valley, False <i>Maianthemum dilatatum</i>				Ht: To 10". Herbaceous perennial. Waxy white flowers in spring above heart-shaped leaves. Showy green berries in summer, turning red. Prefers shady, moist situations. Uses: woodland garden, shady borders, stream bank/pond.	3.5" POT	\$3.00	
Lupine, Big Leaf <i>Lupinus polyphyllus</i>				Ht: To 4'. Herbaceous perennial. Tall spires of blue to purple flowers above attractive foliage in late spring/early summer. Any well-drained, moist soil. Uses: en masse, naturalized in moist meadow.	Tall Band Pot	\$4.00	
Meadowrue, Tall <i>Thalictrum polycarpum</i>				Ht: 2-8'. Blooms June/July. Found on edges of woods, meadows, stream banks, moist soil. Cream colored flowers	1 GAL	\$8.00	
Monkeyflower, Scarlet <i>Mimulus cardinalis</i>				Ht: To 2 1/2'. Upright or sprawling stems and bright green, sticky 1-3" leaves. Tubular scarlet 1 1/2" to 2" long flowers bloom throughout summer. Needs ample water.	3.5" POT	\$3.00	
Monkeyflower, Yellow <i>Mimulus guttatus</i>				Ht: 2-3' X Sp: 1-2'. Deciduous perennial. Large, trumpet-shaped yellow flowers bloom from spring to fall. Uses: meadow gardens, near ponds & wetlands, containers	3.5" Pot	\$3.00	
Mule's Ear <i>Wyethia amplexicaulis</i>				Ht: 12-30". Prostrate perennial with deep yellow flowers resembling small sunflowers which bloom in late spring/early summer. Found on moist hillsides. Intolerant of shade and drought.	4" Band pot	\$4.00	
Oxalis, Oregon <i>Oxalis oregana</i>				Ht: 8" Prostrate perennial. Numerous, large, clover-like leaves. Flowers white to pale pinkish, blooms April to August. Aggressive spreader.	3.5" Pot	\$4.00	
Onion, Nodding <i>Allium cernuum</i>				Ht: To 40". Perennial from oval clustered bulbs, smelling strongly of onion. Flowers pink to rose-purple or white, bell shaped, numerous in nodding, umbrella-shaped clusters. Grass-like leaves remain green through flowering.	3.5" POT	\$3.00	
Onion, Slender Leaf <i>Allium amplexans</i>				Ht: 1'. Herbaceous perennial from bulb. Light, papery flowers on stiff stems above thin, strappy leaves in late spring. Prefers deep, rich, sandy loam. Uses: fresh or dried flowers, rock gardens, wildflower gardens.	3.5" Pot	\$4.00	
Onion, Taper-tip <i>Allium acuminatum</i>				Ht: To 36". Perennial herb from a small egg-shaped bulb; characteristic onion odor and taste. Rose, occasionally white, flowers--stiff and parchment-like in upright umbels with 7-25 flowers. Leaves wither before flowers appear.	4" Band pot	\$4.00	
Oregon Sunshine <i>Eriophyllum lanatum</i>				Ht: To 2'. Herbaceous perennial. Clump-forming plant with yellow flowers from May-August; grayish foliage. Flowers best in full sun. Any well-drained soil. Uses: wildflower garden, rock garden, perennial border.	3.5" POT	\$3.00	
Pacific Waterleaf <i>Hydrophyllum tenuipes</i>				Ht: 12" Herbaceous plant that spreads by rhizomes in wooded areas. Flowers are greenish-white in mid-late spring. Grow in part shade/shade in moist-wet soil. Good for groundcover in shady areas. Leaves are edible.	3.5" Pot	\$3.00	
Penstemon <i>Penstemon richardsonii</i>				Ht: 12-34". Many spreading stalks holding bright pink, pinkish red or bluish flowers. Flower tube long with spreading lobes, throat lined with white beelines. Blooms late summer. Grows in cliff crevices and other dry places.	3.5" POT	\$3.00	
Purple Leptotaenia (Columbia Desert Parsley) <i>Lomatium columbianum</i>			 Pollinators	Ht: 12"-30" Wdth: 12"-30" Attractive perennial wildflower that grows on rocky slopes in Columbia gorge. It has feathery green foliage and produces purple umbrells spring. Dormant in summer. Good for rock gardens. Leaves can suffer from mold in late winter in wet years. Drought tolerant. Protect from slugs.	Tall Band Pot	\$4.00	
Sedge, Slough <i>Carex obnupta</i>				Ht: 2' Fast growing perennial that spreads by rhizomes. Stays green all year. Used for erosion control and bank stabilization. Provides for many birds and other wildlife. Natives used the leaves in baskets.	1 GAL	\$6.00	
Shooting Star, Henderson's <i>Dodecatheon hendersonii</i>				Ht: To 2'. Herbaceous perennial. Clusters of flowers atop leafless stem range from white to magenta in spring. Basal rosettes dry up in summer heat. Prefers moist conditions in rich, well-drained soil. Uses: woodland, containers.	Tall Band Pot	\$4.00	

WASHINGTON COUNTY SMALL WOODLANDS ASSOCIATION

2018 list

Sun/Shade Tolerance:



Moisture Tolerance:



Wildlife Attractant:



Plants sold as one per container

	Sun/Shade	Moisture	Wildlife	Description	Size	Price	Notes
				Ht: 6-24" rhizomatous perennial found in meadows, wetlands, moist riverbanks. Pink flowers bloom early to late summer, later than most shooting stars. Grow in full sun to part shade and moist to wet soil.	Tall Band Pot	\$4.00	
				Ht: 1'-3' Large blue flowers bloom June-Aug. Flowers have 70-150 rays around a yellow center. Grows in sunny, dry to moist soils. Will form colonies, divide when rosettes overlap. Remove leaves in the fall as leaf cover could cause rosettes to rot. Beneficial to insects.	Tall Band Pot	\$4.00	
new				Ht: 1-2'. Woodland flowering plant, white flowers at the ends of stalks are followed by deep red fall berries. Best grown in light, humusy soils with consistent moisture. Flowers bloom May-June.	band pot	\$4.00	
				Ht: To 8" X spreads widely, even aggressively. Succulent perennial with shiny leaves, bearing yellow flowers on short stalks in summer. Best in full sun, well-drained soil, little summer water. Uses: rock garden, open forest settings.	3.5" Pot	\$3.00	
				Ht: 4-8". Lush compact mat of glossy dark green leaves with three tooth-edged leaflets, takes on red tones in winter. White 1-inch flowers in spring, occasionally followed by a few bright red, seedy 3/4" fruits in fall. Bait for slugs. Uses: groundcover, borders, edging, rock gardens.	3.5" POT	\$2.00	
				Ht: 2-5" X Sp: 6-8". Deciduous, trailing perennial. Flowers bloom in spring followed by small, intensely flavored berries. Rich, moist, well-drained soil. Uses: ground cover for open, partly shaded spaces	3.5" Pot	\$3.00	
			 Forage	Ht: To 16". Herbaceous perennial. Showy 3-petaled flowers in white or tinged pink in spring, above 3 leaves. Needs shady, moist situations. Uses: shady part of wildflower garden, among ferns or azaleas, woodland.	4" Band pot	\$7.00	
				Ht: 4" X Spreads by runners. Evergreen herbaceous perennial. Pale pink, fragrant flowers in spring. Best in moist situations with filtered shade or full shade in hot areas. Uses: forest floor, small scale ground cover.	4" Band POT	\$4.00	
				Ht: To 4". Broadly triangular leaves, blue to violet flowers which are stemless early in the season and later develop stems. Blooms April through June. Edible.	3.5" Pot	\$3.00	
				Ht: To 1' X Sp: To 15". Deciduous herbaceous perennial. Yellow flowers held above heart-shaped foliage in the late spring/early summer. Best in moist, well-drained soil in partial to full shade. Uses: woodland garden, container, border.	4" Band POT	\$4.00	
new				Ht: 12'-30" Herbaceous plant spreads by rhizomes. Flowers mid-spring-mid-summer. Large leaves are deeply cut, with large lobes. Found in shaded, moist areas along streams and in woods. Good for groundcover in shaded areas. Leaves and rhizomes are edible.	3.5" Pot	\$3.00	
<b>FERNS</b>							
			 Forage	Ht: To 16" X Sp: To 20". Evergreen fern. Spreading/arching fronds. Prefers loose, loamy, acidic soil with regular water in shade. Uses: woodland, understory, container, en masse, by water feature. Winter forage for deer.	1 GAL	\$6.00	
				Ht: To 2'. Spreads by rhizomes. Evergreen fern. Fronds resemble small sword ferns. Prefers shade and moisture. Uses: bank stabilization, by water feature, moist/shady border, small-scale woodland. NOTE: Goes dormant in summer.	1 GAL LOG	\$6 \$15	
				Ht: To 2.5'. Finely cut fronds that are bright green, fan-shaped held up by thin, wiry, dark stems. Protect from snails and slugs. Needs steady moisture. Uses: excellent choice for bog gardens, pots on deck in shade with native plants.	1 GAL	\$6.00	
				Ht: To 4'. Evergreen fern. Leathery, shiny dark green fronds. Prefers rich, moist soils in shade but can sustain some sun and droughty conditions. Uses: cut for floral arrangements, en masse in woodland setting, bank stabilization.	1 GAL 2 GAL	\$6 \$11	
						\$ 4.95	
						\$ 25.00	